Author index to volume 242

Ahnert-Hilger, G., U. Weller, M.-E. Dauzenroth, E. Habermann and M. Gratzl, The tetanus toxin light chain inhibits exocytosis 242 (1989) 245
Åkerman, K.E.O., Depolarization of human neuroblastoma cells as a result of muscarinic receptor-induced rise in cytosolic Ca^{2+} 242 (1989) 337
Akita, M. see H. Kawasaki 242 (1989) 431
Allis, J.L., C.D. Snaith, A.-M.L. Seymour and G.K. Radda, ^{87}Rb NMR studies of the perfused rat heart 242 (1989) 215
Ally, S. see G. Tortora 242 (1989) 363
Almquist, Å. see B. Wiman 242 (1988) 125
Alpert, B. see S. Pin 242 (1989) 401
Ambar, I. see Y. Kloog 242 (1989) 387
Ammer, H. and A. Henschen, Primary structure of rabbit sperm protamine, the first protamine of its type with an aberrant N-terminal 242 (1988) 111
Andus, T. see J.V. Castell 242 (1989) 237
Antholine, W.A. see P.M.H. Kroneck 242 (1988) 70
Appella, E. see F. Cofano 242 (1989) 233
Arata, Y. see S. Tate 242 (1988) 27
Arion, W.J. see A. Burchell 242 (1988) 153

Baeuerlein, E. see J. Garin 242 (1988) 178
Bahnsen, U. see E. Mohr 242 (1988) 144
Bairoch, A. see C.V. Jongeneel 242 (1989) 211
Bandlow, W. see U. Oechsner 242 (1988) 187
Barber, J. see A.N. Webber 242 (1989) 259
Barg, B. see V. Witzemann 242 (1989) 419
Bataille, D. see A. Virsolvy-Vergine 242 (1988) 65
Baumann, A. see W. Stühmer 242 (1988) 199
Bdolah, A. see Y. Kloog 242 (1989) 387
Beppu, M., H. Masa and K. Kikugawa, Cell surface fibronectin of mouse peritoneal macrophages 242 (1989) 378
Bloom, S.R. see B. Kreymann 242 (1988) 167
Bock, E. see H. Gaardsvoll 242 (1988) 117
Bock, E. see N. Moran 242 (1988) 121
Bode, W., H.J. Greyling, R. Huber, J. Otlewski and T. Wilusz, The refined 2.0 Å X-ray crystal structure of the complex formed between bovine β-trypsin and CMTI-I, a trypsin inhibitor from squash seeds (*Cucurbita maxima*): Topological similarity of the squash seed inhibitors with the carboxypeptidase A inhibitor from potatoes 242 (1989) 285
Boulanger, Y. see F. Fasiolo 242 (1989) 351
Bouvier, J. see C.V. Jongeneel 242 (1989) 211
Brück, M. see A. Virsolvy-Vergine 242 (1988) 65
Bruzzone, R. see W.F. Pralong 242 (1988) 79
Burchell, A., I.D. Waddell, J.L. Countaway, W.J. Arion and R. Hume, Identification of the human hepatic microsomal glucose-6-phosphatase enzyme 242 (1988) 153

Cammack, R. see A. Chapman 242 (1988) 134
Caratsch, C. see Y. Shai 242 (1988) 161
Castell, J.V., M.J. Gómez-Lechón, M. David, T. Andus, T. Geiger, R. Trullenque, R. Fabra and P.C. Heinrich, Interleukin-6 is the major regulator of acute phase protein synthesis in adult human hepatocytes 242 (1989) 237
Cauvin, A. see A. Virsolvy-Vergine 242 (1988) 65
Chadha, N. see R. Kohli 242 (1988) 139
Chapman, A., R. Cammack, C.E. Hatchikian, J. McCracken and J. Peisach, A pulsed EPR study of redox-dependent hyperfine interactions for the nickel centre of *Desulfovibrio gigas* hydrogenase 242 (1988) 134
Chapman, D.J. see A.N. Webber 242 (1989) 259
Chelibonova-Lorer, H. see J. Kolínská 242 (1988) 57
Cho-Chung, Y.S. see G. Tortora 242 (1989) 363
Choli, T. see H.-R. Graack 242 (1988) 4
Christophe, J. see J.L. Scemama 242 (1988) 61
Ciardiello, F. see G. Tortora 242 (1989) 363
Clair, T. see G. Tortora 242 (1989) 363
Clemens, K.R. see A.I. Scott 242 (1989) 319
Clore, G.M. see J. Garin 242 (1988) 178
Coates, A.R.M. see M.J.J.M. Zvelebil 242 (1988) 9
Cofano, F., S. Landolfo, E. Appella and S.J. Ullrich, Analysis of murine interferon-γ binding to its receptor on intact cells and solubilized membranes: Identification of an 80 kDa receptor 242 (1989) 233
Cohen, P.T.W. see O.B. da Cruz e Silva 242 (1988) 106
Cooke, A.M., S.R. Nahorski and B.V.L. Potter, *myo*-Inositol 1,4,5-trisphosphorothioate is a potent competitive inhibitor of human erythrocyte 5-phosphatase 242 (1989) 373
Cookson, J. see M.J.J.M. Zvelebil 242 (1988) 9
Cortes, R. see S. Pin 242 (1989) 401
Countaway, J.L. see A. Burchell 242 (1988) 153
Creazzo, T.L. and R.W. Wrenn, Increased muscarinic receptor binding in heart membranes by an inhibitor of protein kinase C 242 (1988) 175
Criado, M. see V. Witzemann 242 (1989) 419
Czégé, J., Light scattering changes and protein distortion in the bacteriorhodopsin during the photocycle 242 (1988) 89

Da Cruz e Silva, E.F. see O.B. da Cruz e Silva 242 (1988) 106
Da Cruz e Silva, O.B., E.F. da Cruz e Silva and P.T.W. Cohen, Identification of a novel protein phosphatase catalytic subunit by cDNA cloning 242 (1988) 106
Dauzenroth, M.-E. see G. Ahnert-Hilger 242 (1989) 245
David, M. see J.V. Castell 242 (1989) 237
Davies, K.E. see G. Dickson 242 (1988) 47

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/89/$3.50 © 1989 Federation of European Biochemical Societies

De la Guerra, R., M.D. Valdés-Hevia and J.M. Gancedo, Regulation of yeast fructose-1,6-bisphosphatase in strains containing multicopy plasmids coding for this enzyme 242 (1988) 149
De Neef, P. see J.L. Scemama 242 (1988) 61
De Weille, J.R. see M. Fosset 242 (1988) 94
Dickson, G., J.A. Pizzey, V.E. Elsom, D. Love, K.E. Davies and F.S. Walsh, Distinct dystrophin mRNA species are expressed in embryonic and adult mouse skeletal muscle 242 (1988) 47
Dornand, J. see C. El-Moatassim 242 (1989) 391
Dufour, M. see A. Virsolvy-Vergine 242 (1988) 65

Ebel, J.P. see F. Fasiolo 242 (1989) 351
Edwards, C. see Y. Shai 242 (1988) 161
Eigenbrodt, E. see P. Presek 242 (1988) 194
El-Moatassim, C., T. Maurice, J.-C. Mani and J. Dornand, The $[Ca^{2+}]_i$ increase induced in murine thymocytes by extracellular ATP does not involve ATP hydrolysis and is not related to phosphoinositide metabolism 242 (1989) 391
Elsom, V.E. see G. Dickson 242 (1988) 47
Eyre, D.R. see C. Niyibizi 242 (1989) 314

Fabra, R. see J.V. Castell 242 (1989) 237
Fahrenholz, F. see M. Müller 242 (1989) 333
Fasiolo, F., A. Sanni, S. Potier, J.P. Ebel and Y. Boulanger, Identification of the major $tRNA^{Phe}$ binding domain in the tetrameric structure of cytoplasmic phenylalanyl-tRNA synthetase from baker's yeast 242 (1989) 351
Fedorova, O.S. see G.V. Rumyantseva 242 (1989) 397
Fliegel, L., E. Leberer, N.M. Green and D.H. MacLennan, The fast-twitch muscle calsequestrin isoform predominates in rabbit slow-twitch soleus muscle 242 (1989) 297
Flores, F. see M.J. López-Zabalza 242 (1989) 293
Fosset, M., H. Schmid-Antomarchi, J.R. de Weille and M. Lazdunski, Somatostatin activates glibenclamide-sensitive and ATP-regulated K^+ channels in insulinoma cells via a G-protein 242 (1988) 94
Fox, J. see Y. Shai 242 (1988) 161
Freedman, R.B. see J.L. Paver 242 (1989) 357
Frolova, E.I. see G.V. Rumyantseva 242 (1989) 397
Funatsu, G. see T. Utsumi 242 (1989) 255
Furushima, R. see A. Hata-Tanaka 242 (1988) 183

Gaardsvoll, H., D. Obendorf, H. Winkler and E. Bock, Demonstration of immunochemical identity between the synaptic vesicle proteins synaptin and synaptophysin/p38 242 (1988) 117
Gago, F. and W.G. Richards, One left-handed strand in DNA-oligonucleotide complexes? 242 (1989) 270
Gallwitz, D. see A. Pingoud 242 (1988) 1
Gancedo, J.M. see R. de la Guerra 242 (1988) 149
Gao, Z. see J. Garin 242 (1988) 178
Garin, J., P.V. Vignais, A.M. Gronenborn, G.M. Clore, Z. Gao and E. Baeuerlein, ^{1}H-NMR studies on nucleotide binding to the catalytic sites of bovine mitochondrial F_1-ATPase 242 (1988) 178
Garland, P.B. see M.E. Parkinson 242 (1989) 309
Geiger, T. see J.V. Castell 242 (1989) 237
Ghatei, M.A. see B. Kreymann 242 (1988) 167
Gómez-Lechón, M.J. see J.V. Castell 242 (1989) 237
Gonzalez, M.D. see A.I. Scott 242 (1989) 319
Graack, H.-R., L. Grohmann and T. Choli, Mitochondrial ribosomes of yeast: isolation of individual proteins and N-terminal sequencing 242 (1988) 4
Gratzl, M. see G. Ahnert-Hilger 242 (1989) 245
Gray, J.C. see A.N. Webber 242 (1989) 259
Gray, J.C. see A.N. Webber 242 (1989) 435
Green, N.M. see L. Fliegel 242 (1989) 297
Greksák, M. see P. Šmigáň 242 (1988) 85
Greyling, H.J. see W. Bode 242 (1989) 285
Griffiths, A.J. and I.P. Trayer, Selective cleavage of skeletal myosin subfragment-1 to form a 26 kDa peptide which shows ATP-sensitive actin binding 242 (1989) 275
Grohmann, L. see H.-R. Graack 242 (1988) 4
Gronenborn, A.M. see J. Garin 242 (1988) 178
Grupe, A. see W. Stühmer 242 (1988) 199
Gunther, M. and P. Tattersall, The terminal protein of minute virus of mice is an 83 kilodalton polypeptide linked to specific forms of double-stranded and single-stranded viral DNA 242 (1988) 22

Habermann, E. see G. Ahnert-Hilger 242 (1989) 245
Häcker, U. see U. Oechsner 242 (1988) 187
Hagaman, K.A. see J.L. Krstenansky 242 (1989) 409
Hartman, P.G., M. Stähli, H.P. Kocher and R.L. Then, N-terminal amino acid sequence of the chromosomal dihydrofolate reductase purified from trimethoprim-resistant *Staphylococcus aureus* 242 (1988) 157
Hata-Tanaka, A., K. Kita, R. Furushima, H. Oya and S. Itoh, ESR studies on iron-sulfur clusters of complex II in *Ascaris suum* mitochondria which exhibits strong fumarate reductase activity 242 (1988) 183
Hatchikian, C.E. see A. Chapman 242 (1988) 134
Häyry, P. see D. Leszczynski 242 (1989) 383
Heinrich, P.C. see J.V. Castell 242 (1989) 237
Henschen, A. see H. Ammer 242 (1988) 111
Hershey, J.W.B. see A. Pingoud 242 (1988) 1
Higuchi, T. see T. Umezawa 242 (1989) 325
Hirakawa, M. see M. Tsuchiya 242 (1988) 101
Holak, T.A., M. Nilges and H. Oschkinat, Improved strategies for the determination of protein structures from NMR data: the solution structure of acyl carrier protein 242 (1989) 218
Horovská, Ľ. see P. Šmigáň 242 (1988) 85
Huber, R. see W. Bode 242 (1989) 285
Hume, R. see A. Burchell 242 (1988) 153

Ichihara, A. see F. Okada 242 (1989) 240
Ide, A. see T. Utsumi 242 (1989) 255
Ide, M. see H. Takemoto 242 (1988) 53
Ikeuchi, M., K. Takio and Y. Inoue, N-terminal sequencing of photosystem II low-molecular-mass proteins: 5 and 4.1 kDa components of the O_2-evolving core complex from higher plants 242 (1989) 263
Inoue, Y. see M. Ikeuchi 242 (1989) 263
Itoh, S. see A. Hata-Tanaka 242 (1988) 183
Ivanov, S. see J. Kolínská 242 (1988) 57

Järnefelt, J., T. Laurent and R. Rigler, Diffusion of fluorescein-labelled molecules in suspensions of erythrocyte ghosts 242 (1988) 129
Jongeneel, C.V., J. Bouvier and A. Bairoch, A unique signature identifies a family of zinc-dependent metallopeptidases 242 (1989) 211

Kagawa, Y. see S. Ohta 242 (1988) 31
Kanse, S. see B. Kreymann 242 (1988) 167
Kato, M. see S. Tate 242 (1988) 27
Kawasaki, H., S. Matsuyama, S. Sasaki, M. Akita and S. Mizushima, SecA protein is directly involved in protein secretion in *Escherichia coli* 242 (1989) 431
Kiessling, C. see E. Mohr 242 (1988) 144
Kikugawa, K. see M. Beppu 242 (1989) 378
Kita, K. see A. Hata-Tanaka 242 (1988) 183
Kloog, Y., I. Ambar, E. Kochva, Z. Wollberg, A. Bdolah and M. Sokolovsky, Sarafotoxin receptors mediate phosphoinositide hydrolysis in various rat brain regions 242 (1989) 387
Kocher, H.P. see P.G. Hartman 242 (1988) 157
Kochva, E. see Y. Kloog 242 (1989) 387
Kohli, R., N. Chadha and K. Muralidhar, Presence of tyrosine-*O*-sulfate in sheep pituitary prolactin 242 (1988) 139
Kolínská, J., S. Ivanov and H. Chelibonova-Lorer, Effect of hydrocortisone on sialyltransferase activity in the rat small intestine during maturation: Changes along the villus-crypt axis and in fetal organ culture 242 (1988) 57
Kreutz, W. see U. Nestel 242 (1989) 405
Kreymann, B., Y. Yiangou, S. Kanse, G. Williams, M.A. Ghatei and S.R. Bloom, Isolation and characterisation of GLP-1 7–36 amide from rat intestine: Elevated levels in diabetic rats 242 (1988) 167
Kroneck, P.M.H., W.A. Antholine, J. Riester and W.G. Zumft, The cupric site in nitrous oxide reductase contains a mixed-valence [Cu(II),Cu(I)] binuclear center: a multifrequency electron paramagnetic resonance investigation 242 (1988) 70
Krstenansky, J.L., T.J. Owen, K.A. Hagaman and L.R. McLean, Short model peptides having a high α-helical tendency: design and solution properties 242 (1989) 409
Küntzel, H. see T. Munder 242 (1989) 341
Kushiya, E. see Y. Ohshima 242 (1989) 425

Landolfo, S. see F. Cofano 242 (1989) 233
Laurent, T. see J. Järnefelt 242 (1988) 129
Lazarovici, P. see Y. Shai 242 (1988) 161
Lazdunski, M. see M. Fosset 242 (1988) 94
Le Tilly, V. see S. Pin 242 (1989) 401
Leberer, E. see L. Fliegel 242 (1989) 297
Leech, R.M. see K.A. Pyke 242 (1989) 305
Lejeune, P.-J. see C. Marriq 242 (1989) 414
Leszczynski, D. and P. Häyry, Eicosanoids are regulatory molecules in γ-interferon-induced endothelial antigenicity and adherence for leucocytes 242 (1989) 383
Lindahl, T. see B. Wiman 242 (1988) 125
López-Moratalla, N. see M.J. López-Zabalza 242 (1989) 293
López-Zabalza, M.J., F. Flores, E. Santiago and N. López-Moratalla, Effect of redox potential on rat liver F_1-ATPase 242 (1989) 293
Loughman, B.C., R.G. Ratcliffe and T.E. Southon, Observations on the cytoplasmic and vacuolar orthophosphate pools in leaf tissues using in vivo ^{31}P-NMR spectroscopy 242 (1989) 279
Love, D. see G. Dickson 242 (1988) 47
Lupo, B. see A. Virsolvy-Vergine 242 (1988) 65

MacLennan, D.H. see L. Fliegel 242 (1989) 297
Magdolen, V. see U. Oechsner 242 (1988) 187
Mani, J.-C. see C. El-Moatassim 242 (1989) 391
Marriq, C., P.-J. Lejeune, N. Venot and L. Vinet, Hormone synthesis in human thyroglobulin: possible cleavage of the polypeptide chain at the tyrosine donor site 242 (1989) 414
Marrison, J. see K.A. Pyke 242 (1989) 305
Marston, S.B. see M.J. Taggart 242 (1988) 171
Masa, H. see M. Beppu 242 (1989) 378
Masters, S.B. see A. Pingoud 242 (1988) 1
Matsui, A. see S. Ohta 242 (1988) 31
Matsuyama, S. see H. Kawasaki 242 (1989) 431
Maurice, T. see C. El-Moatassim 242 (1989) 391
McCracken, J. see A. Chapman 242 (1988) 134
McLean, L.R. see J.L. Krstenansky 242 (1989) 409
Mitsui, H. see Y. Ohshima 242 (1989) 425
Mizuno, T. see S. Tate 242 (1988) 27
Mizushima, S. see H. Kawasaki 242 (1989) 431
Mohr, E., U. Bahnsen, C. Kiessling and D. Richter, Expression of the vasopressin and oxytocin genes in rats occurs in mutually exclusive sets of hypothalamic neurons 242 (1988) 144
Molloy, P.L. see D.J. Tremethick 242 (1989) 346
Moran, N. and E. Bock, Characterization of the kinetics of neural cell adhesion molecule homophilic binding 242 (1988) 121
Mörtberg, M. and H.Y. Neujahr, Activation enthalpies and pH dependence of phenol hydroxylase from *Trichosporon cutaneum*, in vitro and in situ 242 (1988) 75
Müller, M., M.S. Soloff and F. Fahrenholz, Photoaffinity labelling of the oxytocin receptor in plasma membranes from rat mammary gland 242 (1989) 333

Munder, T. and H. Küntzel, Glucose-induced cAMP signaling in *Saccharomyces cerevisiae* is mediated by the CDC25 protein 242 (1989) 341
Murai, Y. see H. Takemoto 242 (1988) 53
Muralidhar, K. see R. Kohli 242 (1988) 139

Nagao, S. see Y. Yada 242 (1989) 368
Nahorski, S.R. see A.M. Cooke 242 (1989) 373
Nakamura, T. see F. Okada 242 (1989) 240
Nazawa, Y. see S. Ohta 242 (1988) 31
Nestel, U., T. Wacker, D. Woitzik, J. Weckesser, W. Kreutz and W. Welte, Crystallization and preliminary *X*-ray analysis of porin from *Rhodobacter capsulatus* 242 (1989) 405
Neujahr, H.Y. see M. Mörtberg 242 (1988) 75
Nilges, M. see T.A. Holak 242 (1989) 218
Nishimura, Y. see S. Tate 242 (1988) 27
Niyibizi, C. and D.R. Eyre, Identification of the cartilage α1(XI) chain in type V collagen from bovine bone 242 (1989) 314
Nozawa, Y. see Y. Yada 242 (1989) 368

Obendorf, D. see H. Gaardsvoll 242 (1988) 117
Oechsner, U., V. Magdolen, C. Zoglowek, U. Häcker and W. Bandlow, Yeast adenylate kinase is transcribed constitutively from a promoter in the short intergenic region to the histone H2A-1 gene 242 (1988) 187
Ohshima, Y., H. Mitsui, Y. Takayama, E. Kushiya, K. Sakimura and Y. Takahashi, cDNA cloning and nucleotide sequence of rat muscle-specific enolase (*ββ* enolase) 242 (1989) 425
Ohta, S., A. Matsui, Y. Nazawa and Y. Kagawa, Complete cDNA encoding a putative phospholipase C from transformed human lymphocytes 242 (1988) 31
Okada, F., K. Yamaguchi, A. Ichihara and T. Nakamura, One of two subunits of masking protein in latent TGF-*β* is a part of pro-TGF-*β* 242 (1989) 240
Okano, Y. see Y. Yada 242 (1989) 368
Okimasu, E. see M. Tsuchiya 242 (1988) 101
Orellana, O. see O. Salazar 242 (1989) 439
Oschkinat, H. see T.A. Holak 242 (1989) 218
Otlewski, J. see W. Bode 242 (1989) 285
Owen, T.J. see J.L. Krstenansky 242 (1989) 409
Oya, H. see A. Hata-Tanaka 242 (1988) 183

Packman, L. see A.N. Webber 242 (1989) 259
Packman, L.C. see A.N. Webber 242 (1989) 435
Parkhouse, R.M.E. see J.L. Paver 242 (1989) 357
Parkinson, M.E., C.G. Smith, P.B. Garland and S. van Heyningen, Identification of cholera toxin-binding sites in the nucleus of intestinal epithelial cells 242 (1989) 309
Paver, J.L., R.B. Freedman and R.M.E. Parkhouse, Induction of expression of protein disulphide-isomerase during lymphocyte maturation stimulated by bacterial lipopolysaccharide 242 (1989) 357
Peisach, J. see A. Chapman 242 (1988) 134
Pin, S., V. Le Tilly, B. Alpert and R. Cortes, XANES spectroscopy sensitivity to small electronic changes: Case of carp azidomethemoglobin 242 (1989) 401
Pingoud, A., B.M. Willumsen, D. Gallwitz, S.B. Masters and J.W.B. Hershey, The guanine-nucleotide binding proteins: EMBO-NATO-CEC advanced research workshop organized by L. Bosch, B. Kraal and A. Parmeggiani in Renesse, The Netherlands, August 6–11, 1988 242 (1988) 1
Pizzey, J.A. see G. Dickson 242 (1988) 47
Platt, M.W. and S. Rottem, Phosvitin kinase activity in *Acholeplasma axanthum* 242 (1988) 97
Pongs, O. see W. Stühmer 242 (1988) 199
Potier, S. see F. Fasiolo 242 (1989) 351
Potter, B.V.L. see A.M. Cooke 242 (1989) 373
Pradayrol, L. see J.L. Scemama 242 (1988) 61
Pralong, W.F., C.B. Wollheim and R. Bruzzone, Measurement of cytosolic free Ca^{2+} in individual pancreatic acini 242 (1988) 79
Presek, P., M. Reinacher and E. Eigenbrodt, Pyruvate kinase type M_2 is phosphorylated at tyrosine residues in cells transformed by Rous sarcoma virus 242 (1988) 194
Pyke, K.A., J. Marrison and R.M. Leech, Evidence for a type II topoisomerase in wheat chloroplasts 242 (1989) 305

Radda, G.K. see J.L. Allis 242 (1989) 215
Ramponi, G. see V. Saudek 242 (1989) 225
Ratcliffe, R.G. see B.C. Loughman 242 (1989) 279
Reinacher, M. see P. Presek 242 (1988) 194
Richards, W.G. see F. Gago 242 (1989) 270
Richter, D. see E. Mohr 242 (1988) 144
Riester, J. see P.M.H. Kroneck 242 (1988) 70
Rigler, R. see J. Järnefelt 242 (1988) 129
Robberecht, P. see J.L. Scemama 242 (1988) 61
Roessner, C.A. see A.I. Scott 242 (1989) 319
Rottem, S. see M.W. Platt 242 (1988) 97
Rumyantseva, G.V., L.M. Weiner, E.I. Frolova and O.S. Fedorova, Hydroxyl radical generation and DNA strand scission mediated by natural anticancer and synthetic quinones 242 (1989) 397
Ryba, N. see R. Wagner 242 (1989) 249

Sakimura, K. see Y. Ohshima 242 (1989) 425
Sakmann, B. see V. Witzemann 242 (1989) 419
Sakmann, B. see W. Stühmer 242 (1988) 199
Salazar, O., M. Takamiya and O. Orellana, Characterization of the two rRNA gene operons present in *Thiobacillus ferrooxidans* 242 (1989) 439
Sale, G.J. see D.M. Smith 242 (1989) 301
Salomon, D.S. see G. Tortora 242 (1989) 363
Sanni, A. see F. Fasiolo 242 (1989) 351
Santander, P.J. see A.I. Scott 242 (1989) 319
Santiago, E. see M.J. López-Zabalza 242 (1989) 293
Sasaki, S. see H. Kawasaki 242 (1989) 431

Saudek, V., R.J.P. Williams and G. Ramponi, The structure and properties of horse muscle acylphosphatase in solution: Mobility of antigenic and active site regions 242 (1989) 225
Scemama, J.L., P. Robberecht, M. Waelbroeck, P. De Neef, L. Pradayrol, N. Vaysse and J. Christophe, CCK and gastrin inhibit adenylate cyclase activity through a pertussis toxin-sensitive mechanism in the tumoral rat pancreatic acinar cell line AR 4-2J 242 (1988) 61
Schmid-Antomarchi, H. see M. Fosset 242 (1988) 94
Scott, A.I., K.R. Clemens, N.J. Stolowich, P.J. Santander, M.D. Gonzalez and C.A. Roessner, Reconstitution of apo-porphobilinogen deaminase: structural changes induced by cofactor binding 242 (1989) 319
Seeburg, P. see W. Stühmer 242 (1988) 199
Seymour, A.-M.L. see J.L. Allis 242 (1989) 215
Shai, Y., J. Fox, C. Caratsch, Y.-L. Shih, C. Edwards and P. Lazarovici, Sequencing and synthesis of pardaxin, a polypeptide from the Red Sea Moses sole with ionophore activity 242 (1988) 161
Shih, Y.-L. see Y. Shai 242 (1988) 161
Sigurdardottir, O. see B. Wiman 242 (1988) 125
Šmigáň, P., Ľ. Horovská and M. Greksák, Na^+-driven ATP synthesis in *Methanobacterium thermoautotrophicum* can be modulated with sodium ion concentrations in the growth medium 242 (1988) 85
Smith, C.G. see M.E. Parkinson 242 (1989) 309
Smith, D.M. and G.J. Sale, Characterization of sites of serine phosphorylation in human placental insulin receptor copurified with insulin-stimulated serine kinase activity by two-dimensional thin-layer peptide mapping 242 (1989) 301
Snaith, C.D. see J.L. Allis 242 (1989) 215
Sokolovsky, M. see Y. Kloog 242 (1989) 387
Soloff, M.S. see M. Müller 242 (1989) 333
Southon, T.E. see B.C. Loughman 242 (1989) 279
Stähli, M. see P.G. Hartman 242 (1988) 157
Stein, E. see V. Witzemann 242 (1989) 419
Sternberg, M.J.E. see M.J.J.M. Zvelebil 242 (1988) 9
Stocker, M. see W. Stühmer 242 (1988) 199
Stolowich, N.J. see A.I. Scott 242 (1989) 319
Stühmer, W., M. Stocker, B. Sakmann, P. Seeburg, A. Baumann, A. Grupe and O. Pongs, Potassium channels expressed from rat brain cDNA have delayed rectifier properties 242 (1988) 199

Taggart, M.J. and S.B. Marston, The effects of vascular smooth muscle caldesmon on force production by 'desensitised' skeletal muscle fibres 242 (1988) 171
Takahashi, Y. see Y. Ohshima 242 (1989) 425
Takamiya, M. see O. Salazar 242 (1989) 439
Takayama, Y. see Y. Ohshima 242 (1989) 425
Takemoto, H., Y. Murai and M. Ide, Monoclonal antibodies which differentiate high- and low-affinity binding sites of interleukin-2 242 (1988) 53
Takio, K. see M. Ikeuchi 242 (1989) 263
Tate, S., M. Kato, Y. Nishimura, Y. Arata and T. Mizuno, Location of DNA-binding segment of a positive regulator, OmpR, involved in activation of the *ompF* and *ompC* genes of *Escherichia coli* 242 (1988) 27
Tattersall, P. see M. Gunther 242 (1988) 22
Then, R.L. see P.G. Hartman 242 (1988) 157
Tortora, G., F. Ciardiello, S. Ally, T. Clair, D.S. Salomon and Y.S. Cho-Chung, Site-selective 8-chloroadenosine 3',5'-cyclic monophosphate inhibits transformation and transforming growth factor α production in Ki-*ras*-transformed rat fibroblasts 242 (1989) 363
Trayer, I.P. see A.J. Griffiths 242 (1989) 275
Tremethick, D.J. and P.L. Molloy, Stimulation of transcription from different RNA polymerase II promoters by high mobility group proteins 1 and 2 242 (1989) 346
Trullenque, R. see J.V. Castell 242 (1989) 237
Tsuchiya, M., E. Okimasu, W. Ueda, M. Hirakawa and K. Utsumi, Halothane, an inhalation anesthetic, activates protein kinase C and superoxide generation by neutrophils 242 (1988) 101

Ueda, W. see M. Tsuchiya 242 (1988) 101
Uhl, R. see R. Wagner 242 (1989) 249
Ullrich, S.J. see F. Cofano 242 (1989) 233
Umezawa, T. and T. Higuchi, Cleavages of aromatic ring and *β-O*-4 bond of synthetic lignin (DHP) by lignin peroxidase 242 (1989) 325
Utsumi, K. see M. Tsuchiya 242 (1988) 101
Utsumi, T., A. Ide and G. Funatsu, Ricin A-chain induces fusion of small unilamellar vesicles at neutral pH 242 (1989) 255

Valdés-Hevia, M.D. see R. de la Guerra 242 (1988) 149
Van Heyningen, S. see M.E. Parkinson 242 (1989) 309
Vaysse, N. see J.L. Scemama 242 (1988) 61
Venot, N. see C. Marriq 242 (1989) 414
Vignais, P.V. see J. Garin 242 (1988) 178
Vinet, L. see C. Marriq 242 (1989) 414
Virsolvy-Vergine, A., M. Brück, M. Dufour, A. Cauvin, B. Lupo and D. Bataille, An endogenous ligand for the central sulfonylurea receptor 242 (1988) 65

Wacker, T. see U. Nestel 242 (1989) 405
Waddell, I.D. see A. Burchell 242 (1988) 153
Waelbroeck, M. see J.L. Scemama 242 (1988) 61
Wagner, R., N. Ryba and R. Uhl, Calcium regulates the rate of rhodopsin disactivation and the primary amplification step in visual transduction 242 (1989) 249
Walsh, F.S. see G. Dickson 242 (1988) 47
Watanabe, F., Interaction between bacteriophage T_4 coded gene 32 protein and poly(rA) 242 (1989) 444
Webber, A.N., L. Packman, D.J. Chapman, J. Barber and J.C. Gray, A fifth chloroplast-encoded polypeptide is present in the photosystem II reaction centre complex 242 (1989) 259

Webber, A.N., L.C. Packman and J.C. Gray, A 10 kDa polypeptide associated with the oxygen-evolving complex of photosystem II has a putative C-terminal non-cleavable thylakoid transfer domain 242 (1989) 435
Weckesser, J. see U. Nestel 242 (1989) 405
Weiner, L.M. see G.V. Rumyantseva 242 (1989) 397
Weller, U. see G. Ahnert-Hilger 242 (1989) 245
Welte, W. see U. Nestel 242 (1989) 405
Williams, G. see B. Kreymann 242 (1988) 167
Williams, R.J.P. see V. Saudek 242 (1989) 225
Willumsen, B.M. see A. Pingoud 242 (1988) 1
Wilusz, T. see W. Bode 242 (1989) 285
Wiman, B., Å. Almquist, O. Sigurdardottir and T. Lindahl, Plasminogen activator inhibitor 1 (PAI) is bound to vitronectin in plasma 242 (1988) 125
Winkler, H. see H. Gaardsvoll 242 (1988) 117
Witzemann, V., B. Barg, M. Criado, E. Stein and B. Sakmann, Developmental regulation of five subunit specific mRNAs encoding acetylcholine receptor subtypes in rat muscle 242 (1989) 419
Woitzik, D. see U. Nestel 242 (1989) 405
Wollberg, Z. see Y. Kloog 242 (1989) 387
Wollheim, C.B. see W.F. Pralong 242 (1988) 79
Wrenn, R.W. see T.L. Creazzo 242 (1988) 175

Yada, Y., S. Nagao, Y. Okano and Y. Nozawa, Inhibition by cyclic AMP of guanine nucleotide-induced activation of phosphoinositide-specific phospholipase C in human platelets 242 (1989) 368
Yamaguchi, K. see F. Okada 242 (1989) 240
Yiangou, Y. see B. Kreymann 242 (1988) 167

Zherelova, O.M., Protein kinase C is involved in regulation of Ca^{2+} channels in plasmalemma of *Nitella syncarpa* 242 (1989) 330
Zoglowek, C. see U. Oechsner 242 (1988) 187
Zumft, W.G. see P.M.H. Kroneck 242 (1988) 70
Zvelebil, M.J.J.M., M.J.E. Sternberg, J. Cookson and A.R.M. Coates, Predictions of linear T-cell and B-cell epitopes in proteins encoded by HIV-1, HIV-2 and SIV_{MAC} and the conservation of these sites between strains 242 (1988) 9